

Roofing sheet Piana reinforced

Available colours:




BA

Slate Blue
ref. RAL 7016

STANDARD LENGTH


Item	Colour	Length m	Sheet area m ²	Weight kg
ARDL019BA	BA	1,94	2,15	10,10



DIMENSIONAL FEATURES

Width mm	1110 ± 5
Length mm	1940 ± 10
Working cover area mm	1040x1860 ± 5
Pitch mm	200
Profile height mm	25
Thickness mm	2,5 ± 0,2
Weight kg/m ²	4,70 ± 5%
Underside colour	Beige
Maximum loading at 25°C*	kg 400

* With a distance between fixings of **420 mm**.
The load is applied on the roofing sheet centre and spread out on the entire width




SHEETS LAYING DIRECTIONS

The Piana sheet can be installed in two different ways:

Vertical installation*


The sheets are laid from top to bottom and from right to left



* only for vertical coverings and infills


Horizontal installation**

The sheets are laid from top to bottom and from left to right



** to use for roofs, which must have at least 25° (46%) slope

Laying instructions:



Material:

Technopolymer

Features:

The layered polymer alloys used to make the sheet give the product resistance, lightness and elasticity, essential for roofing sheets

Use:

The Piana sheet is suitable for cladding and infilling of continuous vertical surfaces or for roofs with a minimum inclination of 25° (46%)

3 / 3

