

Roofing sheet Latina

Available colours:



Rustic Red




Natural Brick

INSTALLATION
GUIDE

STANDARD LENGTHS



Item	Colour	Length m	Sheet area m ²	Weight kg
LLF019TC	TC	1,92	1,50	5,55
LLF019TN	TN	1,92	1,50	5,55



DIMENSIONAL FEATURES

Width mm	780 ± 5
Length mm	1920 ± 10
Working cover area mm	670x1830 ± 5
Pitch mm	166
Profile height mm	41
Thickness mm	2,1 ± 0,2
Weight kg/m²	3,70 ± 5%
Underside colour	Beige
Maximum loading at 20°C*	kg 350

* With a distance between fixings of **460 mm**.
The load is applied on the roofing sheet centre and spread out on the entire width



FRAMEWORK AND PURLINS

The purlin spacing for Latina sheet must be precisely arranged according to the pitch of the sheet and the distance between the fixings. The first purlin must always be placed cm 10-15 from the edge of the sheet. The size of the overlap will be determined according to the position of the gutter anchorings. The span between the next purlins will measure cm 46, as shown in the picture.

To optimize the roofing installation, it is advisable to verify the purlin spacings before starting the sheet laying.

OVERLAP AND MINIMUM SLOPE

In order to maintain the continuity of the tiles in the roof, the longitudinal overlap between two sheets must always be positioned in correspondence with the tooth of the tile, identifiable above the last row of tiles.

The recommended minimum slope of Latina sheet is 20% (11°); in case of inclination lower than 20% the longitudinal overlap of the sheets will be equal to the length of a whole pantile.







SHEETS LAYING DIRECTION

To install the sheets Lastra Latina you have to follow an obligatory laying direction from left to right and an optimum overlap designed to obtain the maximum usable roof area (see picture).

The vertical overlap must be positioned preserving the aesthetic continuity of the sheets.

Laying instructions:

ADVISABLE DISTANCE	OVERLAP	MINIMUM SLOPE	LAYING SEQUENCE
			



Material: Technopolymer

Features: The layered polymer alloys used to make the sheet give the product resistance, lightness and elasticity, essential for roofing sheets

Use: The Latina sheet is suitable for roofing of civil dwellings, shelters, garages, bungalows and gazebos

